

Cornea - Injury Treatment - Pressure Patch or BCL

The Following Information has been Prepared for You:	
Your doctor may have recommended any combination of the treater carefully:	atment options below. Please follow their recommendations
A pressure patch is to be worn over your eye until the injury temporary removal for medication instillation. The patch should blinking and make the eye feel more comfortable.	
A bandage contact lens is to be worn over your eye until the on top of the contact lens. The contact lens will be carefully remelens. If the lens falls out and you are still in pain, notify your doctonext appointment.	·
Use prescribed eye drop(s) as directed. Some drops used f to 48 hours after use.	or this purpose may dilate your eye and cause blurred vision up
Use copious amounts of preservative - free artificial tears -	about every 2-4 hours, when you are awake.
Protect your eye from sunlight, bright indoor light, wind, due	st. Avoid rubbing.
It is recommended to be on bed-rest during healing. Our from operating heavy machinery, climbing ladders, staffolding, and be	ont desk staff can provide a work / school excuse for you. Avoid very careful on stairs. Your depth perception will be reduced.
Pain can be managed with Tylenol and Advil - alternating th	nem every 4-6 hours. Oral Benadryl may also be used.
Please Rate the Information You Received	
	□ Very helpful - all questions are answered □ Somewhat helpful - I still have questions □ Not helpful – none of my questions were answered
Comments / Questions / Typos:	

Provider Contact Information

David Holliman, OD Brandon Holliman, OD

1203 N. Eastman Rd Kingsport, TN 37664 Phone: (423) 274-3321

Fax: (423) 247-3631

FamilyEyecareKingsport@gmail.com

Website: DrHolliman.com